

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

syntax tree and source code and browser and analysis and sed



## THE ACR DIG TALL BRARY

Feedback Report a problem Satisfaction survey

Terms used syntax tree and source code and browser and analysis and segment

window

Found **54,866** of **160,457** 

Sort results bν

Display

results

relevance expanded form

Save results to a Binder Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 200

Result page: **1** 2 3 4 5 6 7 8 9 10

Best 200 shown

Relevance scale

Computing curricula 2001

September 2001 Journal on Educational Resources in Computing (JERIC)

Full text available: R pdf(613.63 KB) html(2.78 KB)

Additional Information: full citation, references, citings, index terms

Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren



Full text available: pdf(4.21 MB)

Additional Information: full citation, abstract, references, index terms

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

Design technologies: Theories and techniques of program understanding Santanu Paul, Atul Prakash, Erich Buss, John Henshaw



October 1991 Proceedings of the 1991 conference of the Centre for Advanced Studies on Collaborative research

Full text available: pdf(1.28 MB)

Additional Information: full citation, abstract, references, citings

Understanding programs written by others is a difficult task. Most maintenance tasks in software require an understanding of the source code as a first step. Unfortunately, in most cases, the source code of a program is the only reliable documentation of its behavior. As a result, maintainers have to rely heavily on code browsing to acquire the necessary information. This paper surveys the various theories that have been proposed to explain the process of understanding, considers the different t ...

Special issue: Al in engineering

D. Sriram, R. Joobbani

January 1985 ACM SIGART Bulletin, Issue 91

Full text available:

Additional Information:

# Refine Search

#### Search Results -

Terms	Documents
L4 and corss\$ same (program\$ or module\$ or block\$ or node\$ or subset\$ or group\$)	0

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	
Search:	L21 .	Refine Search
	Recall Text Clear	Interrupt

#### Search History


## DATE: Thursday, August 25, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB=0	USPT; PLUR=YES; OP=ADJ		
<u>L21</u>	14 and corss\$ same (program\$ or module\$ or block\$ or node\$ or subset\$ or group\$)	0	<u>L21</u>
<u>L20</u>	(cross\$ near4 referenc\$) near5 (program\$ near4 (slice\$ or module\$ Or group\$ or block\$)) near4 control\$ near4 (subset\$ or node\$)	0	<u>L20</u>
<u>L19</u>	L17 (Abstract\$ near4 synta\$)	0	<u>L19</u>
<u>L18</u>	L17 and (block\$ or module\$ Or group\$) near4 (Abstract\$ near4 synta\$)	0	<u>L18</u>
<u>L17</u>	6594783.pn.	1	<u>L17</u>
<u>L16</u>	(Abstract\$ near4 synta\$ near4 (tree\$ or hierarch\$)) near5 (view\$ or display\$ or graphical\$)	6	<u>L16</u>
<u>L15</u>	(Abstract\$ near4 synta\$ near4 (tree\$ or hierarch\$))	97	<u>L15</u>
<u>L14</u>	(block near2 level near3 abstract near3 syntax near4 tree)	0	<u>L14</u>
<u>L13</u>	(block level abstract syntax tree)	0	<u>L13</u>
<u>L12</u>	L11 and (syntax\$ near4 tree\$)	0	<u>L12</u>

<u>L11</u>	5175856.pn.	1	<u>L11</u>
<u>L10</u>	14 and (syntax\$ near4 tree\$)	0	<u>L10</u>
<u>L9</u>	l4 and synta\$ and (tree\$ or node\$ Or hierarc\$)	1	<u>L9</u>
<u>L8</u>	l4 and (node\$ or block\$ or module\$ or group\$) same (graphical\$ Or view\$ or display\$)	1	<u>L8</u>
<u>L7</u>	l4 and (node\$ or block\$ or module\$ or group\$) and (graphical\$ Or view\$ or display\$)	1	<u>L7</u>
<u>L6</u>	l4 and synta\$ and (tree\$ or hierar\$ or node\$) and (display\$ Or view\$) and source code\$	1	<u>L6</u>
<u>L5</u>	L4 and cross\$	1	<u>L5</u>
<u>L4</u>	5317511.pn.	1	<u>L4</u>
<u>L3</u>	5819094.pn.	1	<u>L3</u>
<u>L2</u>	5175856.pn.	1	<u>L2</u>
<u>L1</u>	5297150.pn.	1	<u>L1</u>

#### END OF SEARCH HISTORY

## Freeform Search



### DATE: Thursday, August 25, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB=0	USPT; PLUR=YES; OP=ADJ		
<u>L33</u>	11 and (operat\$ or perform\$)	1	<u>L33</u>
<u>L32</u>	L31 and (perform\$ or operat\$)	1	<u>L32</u>
<u>L31</u>	123 and (symantic\$ or syntax\$)	1	<u>L31</u>
<u>L30</u>	123 and syn\$ same (templat\$ or view\$ or graphical\$ or display\$)	1	<u>L30</u>
<u>L29</u>	11 and (seman\$ or syn\$ of high\$)	0	<u>L29</u>
<u>L28</u>	11 and (templat\$ or knowledg\$) and (view\$ or graphical\$ or display\$)	1	<u>L28</u>
<u>L27</u>	124 and (cross\$ and block\$ and code)	1	<u>L27</u>
<u>L26</u>	11 and (node\$ or tree\$ or hierarch\$)	1	<u>L26</u>
<u>L25</u>	123 and (tree\$ same (view\$ or display\$ or graphical\$))	1	<u>L25</u>
<u>L24</u>	5317511.pn.	1	<u>L24</u>
<u>L23</u>	6594783.pn.	1	<u>L23</u>
<u>L22</u>	11 and (display\$ or view\$ or graphical\$) near8 (source or code or node\$ or subset)	1	<u>L22</u>
<u>L21</u>	14 and corss\$ same (program\$ or module\$ or block\$ or node\$ or subset\$ or group\$)	0	<u>L21</u>

<u>L20</u>	(cross\$ near4 referenc\$) near5 (program\$ near4 (slice\$ or module\$ Or group\$ or block\$)) near4 control\$ near4 (subset\$ or node\$)	0	<u>L20</u>
<u>L19</u>	L17 (Abstract\$ near4 synta\$)	0	<u>L19</u>
<u>L18</u>	L17 and (block\$ or module\$ Or group\$) near4 (Abstract\$ near4 synta\$)	0	<u>L18</u>
<u>L17</u>	6594783.pn.	1	<u>L17</u>
<u>L16</u>	(Abstract\$ near4 synta\$ near4 (tree\$ or hierarch\$)) near5 (view\$ or display\$ or graphical\$)	6	<u>L16</u>
<u>L15</u>	(Abstract\$ near4 synta\$ near4 (tree\$ or hierarch\$))	97	<u>L15</u>
<u>L14</u>	(block near2 level near3 abstract near3 syntax near4 tree)	0	L14
<u>L13</u>	(block level abstract syntax tree)	0	<u>L13</u>
<u>L12</u>	L11 and (syntax\$ near4 tree\$)	0	<u>L12</u>
<u>L11</u>	5175856.pn.	1	<u>L11</u>
<u>L10</u>	l4 and (syntax\$ near4 tree\$)	0	<u>L10</u>
<u>L9</u>	l4 and synta\$ and (tree\$ or node\$ Or hierarc\$)	1	<u>L9</u>
<u>L8</u>	l4 and (node\$ or block\$ or module\$ or group\$) same (graphical\$ Or view\$ or display\$)	1	<u>L8</u>
<u>L7</u>	l4 and (node\$ or block\$ or module\$ or group\$) and (graphical\$ Or view\$ or display\$)	1	<u>L7</u>
<u>L6</u>	l4 and synta\$ and (tree\$ or hierar\$ or node\$) and (display\$ Or view\$) and source code\$	1	<u>L6</u>
<u>L5</u>	L4 and cross\$	1	<u>L5</u>
<u>L4</u>	5317511.pn.	1	<u>L4</u>
<u>L3</u>	5819094.pn.	1	<u>L3</u>
<u>L2</u>	5175856.pn.	1	<u>L2</u>
<u>L1</u>	5297150.pn.	1	<u>L1</u>

## END OF SEARCH HISTORY

## Refine Search

#### Search Results -

Terms	Documents
(707/104.1).ccls.	2584

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database

JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

Ш3			Refine Search
	Recall Text 👄	Clear	Interrupt

#### Search History

DATE: Thursday, August 25, 2005 Printable Copy Create Case

**Set Name Query Hit Count Set Name** side by side result set DB=USPT; PLUR=YES; OP=ADJ <u>L3</u> 707/104.1.ccls. 2584 <u>L3</u> <u>L2</u> <u>L2</u> 715/762,854.ccls. 724 <u>L1</u> 717/107,104,105,109,112,113,143.ccls. 708 <u>L1</u>

END OF SEARCH HISTORY